

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

2

Docket No.: 20028-7002

AMENDMENTS TO THE CLAIMS

RECEIVED
CENTRAL FAX CENTER

OCT 30 2006

Claim 1 (Currently amended): An apparatus, comprising:

an optical transport for receiving an electromagnetic wave having a first property, said transport having a waveguiding region and one or more guiding regions coupled to said waveguiding region; and a transport influencer, operatively coupled to said optical transport and having at least a portion integrated with one or more guiding regions of said one or more guiding regions, for varably affecting a second property of said transport, wherein said second property influences said first property of said wave.

Claim 2 (Original): The apparatus of claim 1 wherein said first property is a polarization plane and said second property is a magnetic field in said transport.

Claim 3 (Original): The apparatus of claim 1 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport.

Claim 4 (Original): The apparatus of claim 2 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Claim 5 (Original): The apparatus of claim 2 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane in a range from about zero degrees to about ninety degrees.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

3

Docket No.: 20028-7002

Claim 6 (Original): The apparatus of claim 1 wherein said transport is a fiber waveguide including a core and a cladding corresponding to one or more of said one or more guiding regions and wherein said influencer includes a magnetic material integrated with said cladding.

Claim 7 (Original): The apparatus of claim 6 wherein said magnetic material includes permanent magnetic material.

Claim 8 (Original): The apparatus of claim 6 wherein said magnetic material is selectively magnetized responsive to an electric current.

Claim 9 (Original): The apparatus of claim 6 wherein said magnetic material is integrated into said fiber waveguide.

Claim 10 (Previously presented): An apparatus, comprising:
an optical transport for receiving an electromagnetic wave having one of a right hand circular polarization or a left hand circular polarization, said transport having a waveguiding region and one or more guiding regions coupled to said waveguiding region; and
a transport influencer, operatively coupled to said optical transport and having at least a portion integrated with one or more guiding regions of said one or more guiding regions, for controllably affecting a magnetic field of said transport to change a polarization angle of said wave.

Claim 11 (Original): The apparatus of claim 10 wherein said influencer changes a polarization angle over a range of about zero degrees to about ninety degrees.

Claim 12 (Original): The apparatus of claim 10 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization angle.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

4

Docket No.: 20028-7002

Claim 13 (Original): The apparatus of claim 11 wherein said influencer is responsive to a control signal for changing said polarization angle.

Claim 14 (Original): The apparatus of claim 12 wherein said influencer is responsive to a control signal for changing said polarization angle.

Claim 15 (Original): The apparatus of claim 11 wherein said influencer alters said polarization angle over a range from about zero degrees to about ninety degrees.

Claim 16 (Original): The apparatus of claim 12 wherein said influencer alters said polarization angle over a range from about zero degrees to about ninety degrees.

Claim 17 (Previously presented): The apparatus of claim 10 wherein said transport is a fiber waveguide including a core and a cladding corresponding to one or more guiding regions of said one or more guiding regions and wherein said influencer includes a magnetic material integrated with said cladding.

Claim 18 (Original): The apparatus of claim 6 wherein said magnetic material includes permanent magnetic material.

Claim 19 (Original): The apparatus of claim 6 wherein said magnetic material is selectively magnetized responsive to an electric current.

Claim 20 (Original): The apparatus of claim 6 wherein said magnetic material is integrated into said fiber waveguide.

Claim 21 (Canceled): A method comprising:
receiving an electromagnetic wave having a first property at an optical transport, said transport having a waveguiding region and one or more

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

5

Docket No.: 20028-7002

guiding regions coupled to said waveguiding region; and
affecting a second property of said transport using a transport
influencer coupled to said optical transport and having at least a
portion integrated with one or more guiding regions of said one or
more guiding regions, wherein said second property influences said
first property of said wave.

Claim 22 (Canceled): The method of claim 21 wherein said first property is a polarization plane and said second property is a magnetic field in said transport.

Claim 23 (Canceled): The method of claim 21 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport.

Claim 24 (Canceled): The method of claim 22 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Claim 25 (Canceled): The method of claim 22 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane in a range from about zero degrees to about ninety degrees.

Claim 26 (Canceled): The method of claim 21 wherein said transport is a fiber waveguide including a core and a cladding corresponding to one or more guiding regions of said one or more guiding regions and wherein said influencer includes a magnetic material integrated with said cladding.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

6

Docket No.: 20028-7002

Claim 27 (Canceled): ~~The method of claim 26 wherein said magnetic material includes permanent magnetic material.~~

Claim 28 (Canceled): ~~The method of claim 26 wherein said magnetic material is selectively magnetized responsive to an electric current.~~

Claim 29 (Canceled): ~~The method of claim 26 wherein said magnetic material is integrated into said fiber waveguide.~~

Claim 30 (Previously presented): An apparatus, comprising:

means for receiving an electromagnetic wave having a first property at an optical transport, said transport having a waveguiding region and one or more guiding regions coupled to said waveguiding region; and means, operatively coupled to said receiving means and having at least a portion integrated with one or more guiding regions of said one or more guiding regions, for affecting a second property of said transport using a transport influencer coupled to said optical transport, wherein said second property influences said first property of said wave.

Claim 31 (Original): The apparatus of claim 30 wherein said first property is a polarization plane and said second property is a magnetic field in said transport.

Claim 32 (Original): The apparatus of claim 30 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport.

Claim 33 (Original): The apparatus of claim 31 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

7

Docket No.: 20028-7002

Claim 34 (Original): The apparatus of claim 31 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane in a range from about zero degrees to about ninety degrees.

Claim 35 (Previously presented): The apparatus of claim 30 wherein said transport is a fiber waveguide including a core and a cladding corresponding to one or more guiding regions of said one or more guiding and wherein said influencer includes a magnetic material integrated with said cladding.

Claim 36 (Original): The apparatus of claim 35 wherein said magnetic material includes permanent magnetic material.

Claim 37 (Original): The apparatus of claim 35 wherein said magnetic material is selectively magnetized responsive to an electric current.

Claim 38 (Original): The apparatus of claim 35 wherein said magnetic material is integrated into said fiber waveguide.

Claim 39 (Previously presented): An apparatus, comprising:
a fiber waveguide for receiving an electromagnetic wave having a particular polarization, said waveguide having a core and one or more guiding regions disposed around said core; and
a variable magnetic field generating structure, a portion of which is integrated with and operatively to one or more of said guiding regions, for producing a controllable variable magnetic field in said core responsive to a control signal, said controllable variable magnetic field variably changing said particular polarization responsive to said control signal.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

8

Docket No.: 20028-7002

Claim 40 (Canceled): A computer program product comprising a computer readable medium carrying program instructions for operating an apparatus when executed using a computing system, the executed program instructions executing a method, the method comprising: receiving an electromagnetic wave having a first property at an optical transport, said transport having a waveguiding region and one or more guiding regions coupled to said waveguiding region; and affecting a second property of said transport using a transport influencer coupled to said optical transport and having at least a portion integrated with one or more guiding regions of said one or more guiding regions, wherein said second property influences said first property of said wave.

Claim 41 (Canceled): The computer program product of claim 40 wherein said first property is a polarization plane and said second property is a magnetic field in said transport.

Claim 42 (Canceled): The computer program product of claim 40 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport.

Claim 43 (Canceled): The computer program product of claim 41 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Claim 44 (Canceled): The computer program product of claim 41 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane in a range from about zero degrees to about ninety degrees.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

9

Docket No.: 20028-7002

Claim 45 (Canceled): The computer program product of claim 40 wherein
said transport is a fiber waveguide including a core and a cladding
corresponding to one or more guiding regions of said one or more
guiding regions and wherein said influencer includes a magnetic
material integrated with said cladding.

Claim 46 (Canceled): The computer program product of claim 45 wherein
said magnetic material includes permanent magnetic material.

Claim 47 (Canceled): The computer program product of claim 45 wherein
said magnetic material is selectively magnetized responsive to an
electric current.

Claim 48 (Canceled): The computer program product of claim 45 wherein
said magnetic material is integrated into said fiber waveguide.

Claim 49 (Canceled): A propagated signal on which is carried computer-
executable instructions which when executed by a computing system
performs a method, the method comprising:
receiving an electromagnetic wave having a first property at an optical
transport, said transport having a waveguiding region and one or more
guiding regions coupled to said waveguiding region; and
affecting a second property of said transport using a transport
influencer coupled to said optical transport and having at least a
portion integrated with one or more guiding regions of said one or
more guiding regions, wherein said second property influences said
first property of said wave.

Claim 50 (Canceled): The signal of claim 49 wherein said first property is a
polarization plane and said second property is a magnetic field in said
transport.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

10

Docket No.: 20028-7002

Claim 51 (Canceled): The signal of claim 49 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport.

Claim 52 (Canceled): The signal of claim 50 wherein said influencer produces a controllable magnetic field parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Claim 53 (Canceled): The signal of claim 50 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane in a range from about zero degrees to about ninety degrees.

Claim 54 (Canceled): The signal of claim 49 wherein said transport is a fiber waveguide including a core and a cladding corresponding to one or more guiding regions of said one or more guiding regions and wherein said influencer includes a magnetic material integrated with said cladding.

Claim 55 (Canceled): The signal of claim 54 wherein said magnetic material includes permanent magnetic material.

Claim 56 (Canceled): The signal of claim 54 wherein said magnetic material is selectively magnetized responsive to an electric current.

Claim 57 (Canceled): The signal of claim 54 wherein said magnetic material is integrated into said fiber waveguide.

Claim 58 (New): An apparatus, comprising:
an optical transport for receiving an electromagnetic wave having a
first property, said transport having a waveguiding channel and one or

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

11

Docket No.: 20028-7002

more guiding regions coupled to said waveguiding channel for inhibiting a radiation signal of said wave propagating in said waveguiding channel from exiting said waveguiding channel; and a transport influencer, operatively coupled to said optical transport and having at least a portion integrated with one or more guiding regions of said one or more guiding regions, for variably affecting a second property of said transport, wherein said second property influences said first property of said wave.

Claim 59 (New): The apparatus of claim 58 wherein said first property is a polarization plane and said second property is a magnetic field in said transport.

Claim 60 (New): The apparatus of claim 58 wherein said influencer produces a variably controllable magnetic field, responsive to a control signal, parallel to a propagation direction of said wave through said transport.

Claim 61 (New): The apparatus of claim 59 wherein said influencer produces a variably controllable magnetic field, responsive to a control signal, parallel to a propagation direction of said wave through said transport to alter said polarization plane of said wave.

Claim 62 (New): The apparatus of claim 59 wherein said influencer alters said polarization plane by changing a rotation angle of at least one component of said polarization plane over a range from about zero degrees to about ninety degrees.

Claim 63 (New): The apparatus of claim 58 wherein said transport includes a fiber waveguide, said waveguiding channel including a core and said one or more guiding regions including one or more cladding layers for

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

12

Docket No.: 20028-7002

said core and wherein said influencer includes a magnetic material
integrated with said cladding during manufacture of said transport.

Claim 64 (New): The apparatus of claim 63 wherein said magnetic material
includes permanent magnetic material.

Claim 65 (New): The apparatus of claim 63 wherein said magnetic material is
selectively magnetized responsive to an electric current.

Claim 66 (New): The apparatus of claim 63 wherein said magnetic material is
integrated into said fiber waveguide during fiber manufacturing.

Claim 67 (New): The apparatus of claim 58 wherein said radiation signal is in
the visible spectrum.

Claim 68 (New): The apparatus of claim 58 wherein said waveguiding
channel includes Verdet constant increasing elements.

Claim 69 (New): The apparatus of claim 58 wherein said transport includes a
bulk device.

Claim 70 (New): The apparatus of claim 58 wherein said one or more guiding
regions includes a first guiding region provided with a modifying
material to modify a transport property of said waveguiding channel
without influencing said second property.

Claim 71 (New): The apparatus of claim 59 wherein said one or more guiding
regions includes a first guiding region provided with a magnetic
material to modify a magnetic property of said waveguiding channel
without modifying a component of said magnetic field in said transport
that is parallel to a propagation axis through said waveguiding
channel.

Application No. 10/812,294
Amendment dated October 30, 2006
Reply to Office Action of June 30, 2006

13

Docket No.: 20028-7002

Claim 72 (New): The apparatus of claim 58 wherein said one or more guiding regions includes a second guiding region provided with a modifying material to modify said second property.

Claim 73 (New): The apparatus of claim 59 wherein said one or more guiding regions includes a second guiding region provided with a second magnetic material to modify a component of said magnetic field in said transport that is parallel to a propagation axis through said waveguiding channel.

Claim 74 (New): The apparatus of claim 58 wherein said one or more guiding regions includes a first guiding region provided with a first modifying material to modify a transport property of said waveguiding channel without influencing said second property and wherein said one or more guiding regions includes a second guiding region provided with a second modifying material to modify said second property.

Claim 75 (New): The apparatus of claim 59 wherein said one or more guiding regions includes a first guiding region provided with a first magnetic material to modify a magnetic property of said waveguiding channel without modifying a component of said magnetic field in said transport that is parallel to a propagation axis through said waveguiding channel and wherein said one or more guiding regions includes a second guiding region provided with a second magnetic material to modify a component of said magnetic field in said transport that is parallel to a propagation axis through said waveguiding channel.

Claim 76 (New): The apparatus of claim 75 wherein said radiation signal includes a component in a spectrum visible to the unaided human eye.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.